

**UAB MEDICAL GENOMICS LABORATORY**

720 Twentieth Street South, Suite 330 Phone: (205) 934-5562  
 Birmingham, Alabama 35294-0005 Fax: (205) 996-2929  
[www.uab.edu/medicine/genetics/medical-genomics-laboratory](http://www.uab.edu/medicine/genetics/medical-genomics-laboratory)

UAB MGL  
 Accession

For MGL Lab Use Only	Received:	Reviewed:	Accession:	Billing:	Other:
	Initials:				
	Date:				
	Comment:				

**Important Notes**

-This form must accompany all specimens received -All specimens received must include **two** patient identifiers and **collection date**  
 -Billing information (page 5) must be included -Testing must be ordered by a qualified clinician  
 Additional information is available online at [www.uab.edu/medicine/genetics/medical-genomics-laboratory](http://www.uab.edu/medicine/genetics/medical-genomics-laboratory)

**Test Requisition Form**

Patient Information:			Ordering Physician:		
Sample Collected: (MM/DD/YY)			<input type="checkbox"/> Please check box if physician should receive report directly		
Legal Name: (First) (MI) (Last)			Name:		NPI:
DOB: (MM/DD/YY) MRN:			Institution:		
Address:			Address:		
City:		State:	Zip:	City:	State: Zip:
Sex at Birth:		SSN:	Country:	Phone:	
Parent or Guardian name (if minor):			Please check preferred result delivery: <input type="checkbox"/> Fax:		
<input type="checkbox"/> Please check box if lab/hospital should receive report directly			<input type="checkbox"/> Email:		
Referring Lab/Hospital:			Additional Reports to:		
Name:			Name:		
Institution:			Institution:		
Address:			Address:		
City:		State:	Zip:	City:	State: Zip:
Country:		Phone:	Country: Phone:		
Please check preferred result delivery: <input type="checkbox"/> Fax:		Please check preferred result delivery: <input type="checkbox"/> Fax:			
<input type="checkbox"/> Email:			<input type="checkbox"/> Email:		

**Previous Testing History**

Check all that apply:	<input type="checkbox"/> Patient or family member is pregnant. LMP:	<input type="checkbox"/> Patient has had chemotherapy in the past 6 months
	<input type="checkbox"/> Patient has had a bone marrow transplant	<input type="checkbox"/> Infectious diseases (AIDS, Hepatitis, etc.)
Has this patient or relatives had previous testing? <input type="checkbox"/> Yes <input type="checkbox"/> No		
Name/Relationship to patient:		Test/Variant/Lab:
Name/Relationship to patient:		Test/Variant/Lab:

**Informed Consent**

Provider's statement: I acknowledge the risks, benefits, limitations, and implications of genetic testing as outlined on the complete informed consent handout; and I have discussed the test(s) requested with the patient/guardian and I have answered his/her questions regarding testing. Informed consent has been obtained from the patient/guardian and the hard copy will be maintained.

Provider's Signature: \_\_\_\_\_

Name: (First)	(MI)	(Last)	DOB: (MM/DD/YY)
---------------	------	--------	-----------------

**Lymphocyte/White Blood Cell-based Comprehensive Testing via Next-Gen Sequencing**

RUSH Analysis: Testing completed within 15 working days of receipt of sample  
(Additional \$600 RUSH fee applied; only available for tests on this page)

<p><b>NF1/Legius syndrome and Other RASopathy Related Conditions</b></p> <p><input type="checkbox"/> NF1-NG: NGS and Del/Dup: <i>NF1</i> only</p> <p><input type="checkbox"/> NFSP-NG: NGS and Del/Dup: <i>NF1</i> and <i>SPRED1</i></p> <p><input type="checkbox"/> NNP-NG: NGS: 17 genes (<u>no <i>NF1</i></u>): <i>BRAF, CBL, HRAS, KRAS, LZTR1, MAP2K1, MAP2K2, NRAS, PPP1CB, PTPN11, RAF1, RASA2, RIT1, SHOC2, SOS1, SOS2, and SPRED1</i>; and Del/Dup: <i>SPRED1</i> and <i>LZTR1</i></p> <p><input type="checkbox"/> RAS-NG: NGS: 18 genes: <i>BRAF, CBL, HRAS, KRAS, LZTR1, MAP2K1, MAP2K2, NF1, NRAS, PPP1CB, PTPN11, RAF1, RASA2, RIT1, SHOC2, SOS1, SOS2, and SPRED1</i>; and Del/Dup: <i>NF1, SPRED1, and LZTR1</i></p> <p><input type="checkbox"/> CST-NG: NGS: <i>HRAS</i> only</p>	<p><b>NF2/Schwannomatosis/Meningiomas</b></p> <p><input type="checkbox"/> NF2-NG: NGS and Del/Dup: <i>NF2</i> only</p> <p><input type="checkbox"/> SCH-NG: NGS: 3 genes: <i>LZTR1, NF2, and SMARCB1</i>; and Del/Dup: <i>NF2, LZTR1, and SMARCB1</i></p> <p><input type="checkbox"/> MEN-NG: NGS: 4 genes: <i>NF2, SMARCB1, SMARCE1, and SUFU</i>; and Del/Dup: <i>NF2</i> and <i>SMARCB1</i></p>
---	---

**Peripheral Nerve Sheath Tumor Testing**

<p><b>McCune-Albright Syndrome</b></p> <p><input type="checkbox"/> GNAS-NG: NGS: <i>GNAS</i> exons 8 and 9 only</p>	<p><b>Rhabdoid Tumor Predisposition Syndrome</b></p> <p><input type="checkbox"/> RT-NG: NGS: <i>SMARCB1</i> and <i>SMARCA4</i>; and Del/Dup: <i>SMARCB1</i> only</p>
---	--

<p><b>Tuberous Sclerosis Complex</b></p> <p><input type="checkbox"/> TSCP-NG: NGS and Del/Dup: <i>TSC1</i> and <i>TSC2</i></p>	<p><b>Capillary Malformation Arteriovenous Malformation Syndrome</b></p> <p><input type="checkbox"/> RASA-NG: NGS: and Del/Dup: <i>RASA1</i> and <i>EPHB4</i></p>
--	---

**Additional Information**

<p><b>Test Description Key:</b> Next Generation Sequencing (NGS) Deletion/Duplication analysis (Del/Dup)</p>	<p>For additional testing options via tumor/biopsy, please see page 3 of this order form. Please contact the lab via phone (205) 934-5562 or via email at <a href="mailto:medgenomics@uabmc.edu">medgenomics@uabmc.edu</a> if you have any questions when completing this form. For additional information, visit our website at <a href="http://www.uab.edu/medicine/genetics/medical-genomics-laboratory">www.uab.edu/medicine/genetics/medical-genomics-laboratory</a></p>
--	---

**Important points of consideration for testing**

The average coverage for all of our panels is >1600x. Specifically for the *NF1* gene, the NGS approach covers >98% of the *NF1* coding region at ≥350X and 99% ≥200X, allowing detection of very low level mosaicism, down to 3-5% variant allele fraction respectively. For all other genes on our panels, the NGS approach covers an average of 99% at ≥200X. Remaining regions are covered at ≥30X. However, for patients with segmental/mosaic presentation, deep coverage in lymphocyte cells may be insufficient to identify the underlying gene change. Testing the affected tissue(s) may be necessary to confirm a diagnosis. Please see page 3 for our tumor/biopsy-based testing options.

Please note: For patients with an ongoing pregnancy who require comprehensive NF1 testing, "NF1-R" is recommended due to the sensitivity and fast turnaround time of this test (please see page 4 for this option).

**Specimen Requirements**

<p><b>Accepted Specimens</b></p> <p>Specimen requirements vary based on test requested; please see our website for more details.</p> <p>-Blood: 3-6ml EDTA (receipt within one week of collection) -Saliva: OGR-575 DNA Genotek (kits are provided upon request) -DNA: extracted from lymphocyte cells, a minimum of 25ul at 3µg, O.D. value at 260:280nm ≥1.6 (must be extracted in a CLIA or equivalent certified lab) -Fibroblast cells</p>	<p><b>Specimen Information:</b></p> <p><input type="checkbox"/> Peripheral Blood (EDTA); # Tubes: _____</p> <p><input type="checkbox"/> Extracted DNA; Source: _____</p> <p><input type="checkbox"/> Saliva (kit must be provided by MGL)</p> <p><input type="checkbox"/> Other, please describe: _____</p> <p>Please note: failure to provide a date of collection can delay release of results</p> <p>Sample Collected Date (required): _____</p>
--	---

# UAB MEDICAL GENOMICS LABORATORY

720 Twentieth Street South, Suite 330 Phone: (205) 934-5562  
 Birmingham, Alabama 35294-0005 Fax: (205) 996-2929  
[www.uab.edu/medicine/genetics/medical-genomics-laboratory](http://www.uab.edu/medicine/genetics/medical-genomics-laboratory)

UAB MGL  
 Accession

Name: (First) (MI) (Last) DOB: (MM/DD/YY)

## Tumor/Biopsy-based Comprehensive Testing

Please check here if blood or DNA is provided for confirmation testing. Blood Collected: (MM/DD/YY)

### NF1/SPRED1 on biopsied CALs and Neurofibromas **\*CURRENTLY UNDER MORATORIUM UNTIL 2023\***

**\*\*Please contact the laboratory at least one week in advance of the biopsy before ordering this test as media must be provided in advance and special shipping instructions apply. Biopsies must arrive within 60 hours of collection\*\***

- NF14C: Sanger(RNA) and Del/Dup: *NF1* (with automatic reflex to *SPRED1*) on biopsied CALs
- NF14N: Sanger(RNA) and Del/Dup: *NF1* on biopsied neurofibromas

### NF2/Schwannomatosis

- NF2-NG: Fresh/Frozen Tumor or Tumor Block for NGS and Del/Dup: *NF2* only
- SCH-NG: Fresh/Frozen Tumor or Tumor Block for NGS and Del/Dup: *NF2*, *LZTR1*, and *SMARCB1*

### Rhabdoid Tumor Predisposition Syndrome

- RT-NG: Fresh/Frozen Tumor or Tumor Block for NGS *SMARCB1* and *SMARCA4*; and Del/Dup: *SMARCB1* only

### RASopathy Related Conditions

NNP-NG: Fresh/Frozen Tumor for NGS (no *NF1*) or Tumor Block for NGS: *BRAF*, *CBL*, *HRAS*, *KRAS*, *LZTR1*, *MAP2K1*, *MAP2K2*, *NRAS*, *PPP1CB*, *PTPN11*, *RAF1*, *RASA2*, *RIT1*, *SHOC2*, *SOS1*, *SOS2*, and *SPRED1*; and Del/Dup: *SPRED1* and *LZTR1*

RAS-NG: Fresh/Frozen Tumor or Tumor Block for NGS: *BRAF*, *CBL*, *HRAS*, *KRAS*, *LZTR1*, *MAP2K1*, *MAP2K2*, *NF1*, *NRAS*, *PPP1CB*, *PTPN11*, *RAF1*, *RASA2*, *RIT1*, *SHOC2*, *SOS1*, *SOS2*, and *SPRED1*; and Del/Dup: *NF1*, *SPRED1*, and *LZTR1*

### Meningiomatosis

- MEN-NG: Fresh/Frozen Tumor or Tumor Block for NGS: *NF2*, *SMARCB1*, *SMARCE1*, and *SUFU*; and Del/Dup: *NF2* and *SMARCB1*

### Peripheral Nerve Sheath Tumor Testing

- PNT-NG: Fresh/Frozen Tumor for NGS: *NF1*, *NF2*, *KRAS*, *LZTR1*, *PTPN11* and *SMARCB1*; and Del/Dup: *NF1*, *NF2*, *LZTR1*, and *SMARCB1*

### Tuberous Sclerosis Complex

- TSC-NG: Fresh/Frozen Tumor or Tumor Block for NGS and Del/Dup: *TSC1* and *TSC2*

## Additional Information

#### Test Description Key:

Next Generation Sequencing (NGS)  
 Sanger Sequencing (Sanger)  
 Deletion/Duplication analysis (Del/Dup)

Please contact the lab via phone (205) 934-5562 or via email at [medgenomics@uabmc.edu](mailto:medgenomics@uabmc.edu) if you have any questions when completing this form.  
 For additional information, visit our website at [www.uab.edu/medicine/genetics/medical-genomics-laboratory](http://www.uab.edu/medicine/genetics/medical-genomics-laboratory)

## Important points of consideration for testing

- The MGL offers next generation sequencing testing options that provide the ability to identify variants (indels and substitutions) as low as 3% of the alleles, depending on coverage in the regions of interest.
- NF1/SPRED1 biopsy-based testing is considered the “gold standard” approach for confirming a diagnosis of mosaic/segmental NF1 or Legius Syndrome.
- A minimum of two biopsies is required for NF1 testing. Two or more tumors are suggested for our other testing options. There are no additional fees associated with testing on additional biopsy specimens.
- When proceeding with tumor-based testing for NF2, test code “SCH-NG” or “SCHP” (*NF2*, *SMARCB1*, and *LZTR1*) is suggested unless the patient has findings unique to NF2.

## Specimen Requirements

### Accepted Specimens

Specimen requirements vary based on test requested; please see our website for more details.

- CALs or Neurofibromas: require special media transport (kits are provided upon request, to be arranged at least one week in advance of procedure)
- Fresh/Frozen Tumors: please submit a pathology report; for additional requirements, see tumor submission checklist
- Formalin-Fixed Paraffin-Embedded Tumors (Tumor Block): please submit a pathology report; blocks are preferred to curls, when available; for additional requirements, see tumor submission checklist

### Specimen Information:

- Frozen  Fresh
- Paraffin Curls  Paraffin Block
- Extracted DNA; Source: \_\_\_\_\_
- Biopsy-CAL-spot; # biopsies: \_\_\_\_\_
- Biopsy-Neurofibroma; # biopsies: \_\_\_\_\_
- Please note: failure to provide a date of collection can delay release of results
- Tumor Collection Date (required): \_\_\_\_\_

Name: (First) (MI) (Last) DOB: (MM/DD/YY)

**Sanger Testing from Blood/Saliva/DNA**

<p><b>NF1/Legius syndrome and Other RASopathy Related Conditions</b></p> <p><input type="checkbox"/> NF1-R: Sanger and Del/Dup: <i>NF1 (RNA)</i></p> <p><input type="checkbox"/> NFSP-R: Sanger and Del/Dup: <i>NF1 (RNA)</i> and <i>SPRED1 (gDNA)</i></p> <p align="center"><b>Von Hippel-Lindau</b></p> <p><input type="checkbox"/> VHL1: Sanger and Del/Dup: <i>VHL</i></p> <p align="center"><b>PTEN-Related Disorders</b></p> <p><input type="checkbox"/> PTEN1: Sanger and Del/Dup: <i>PTEN</i></p> <p align="center"><b>Fragile X syndrome</b></p> <p><input type="checkbox"/> FRX: PCR and, if needed, reflexive confirmatory testing by Southern blot analysis: <i>FMR1</i></p>	<p><b>Medium Chain Acyl-CoA Dehydrogenase Deficiency (MCADD)</b></p> <p><input type="checkbox"/> MCD1: Targeted analysis of exon 11 and, if needed, reflexive full gene sequencing by Sanger: <i>ACADM</i></p> <p align="center"><b>Autosomal Recessive Polycystic Kidney Disease</b></p> <p><input type="checkbox"/> PKDL: Linkage Analysis for informativity</p> <p><input type="checkbox"/> PKDPL: Prenatal Linkage (see Prenatal Specimen Requirements)</p> <p>FATHER: <u>Name and DOB (mm/dd/yyyy)</u></p> <p>MOTHER: <u>Name and DOB (mm/dd/yyyy)</u></p>
--	---

**Known Variant Testing**

KT2: Targeted detection of a specific, previously identified known variant in any gene that is available at our lab by Sanger sequence, MLPA, and/or FISH analysis (Complete Previous Testing History: Page 1)

KT2-NG: Targeted testing for a known variant with deep coverage of the alleles and detection of mosaicism for a variant present in at least 3% of alleles (Complete Previous Testing History: Page 1)

RT2: Targeted RNA-based testing for VOUS found during Next Generation Sequencing (Complete Previous Testing History: Page 1)

PT2: Prenatal testing (see Prenatal Specimen Requirements; Complete Previous Testing History: Page 1)

MCC: Blood specimen for mother provided for maternal cell contamination studies (required if not previously tested)

**Other (unlisted options, please indicate below)**

\*\*Please contact lab before selecting this option\*\*

**Additional Information**

<p><u>Test Description Key:</u>          Next Generation Sequencing (NG)          Sanger Sequencing (Sanger)          Deletion/Duplication analysis (Del/Dup)</p>	<p>Please contact the lab via phone (205) 934-5562 or via email at <a href="mailto:medgenomics@uabmc.edu">medgenomics@uabmc.edu</a> if you have any questions when completing this form.          For additional information, visit our website at <a href="http://www.uab.edu/medicine/genetics/medical-genomics-laboratory">www.uab.edu/medicine/genetics/medical-genomics-laboratory</a></p>
---	---

**Specimen Requirements**

<p align="center"><b>Accepted Prenatal Specimens</b></p> <p>Specimen requirements vary based on test requested; please see our website for more details.</p> <p>-Direct CVS: minimum 10 mg cleaned villi</p> <p>-Direct amniotic fluid: minimum 10 ml fluid</p> <p>-Cultured CVS: Two T25 flasks (&gt;70% confluent)</p> <p>-Cultured amniocytes: Two T25 flasks (&gt;70% confluent)</p>	<p align="center"><b>Prenatal Specimen Information:</b></p> <p><input type="checkbox"/> Amniotic fluid <span style="margin-left: 100px;"><input type="checkbox"/> Direct CVS (cleaned)</span></p> <p><input type="checkbox"/> Cultured amniocytes <span style="margin-left: 100px;"><input type="checkbox"/> Cultured villus cells</span></p> <p>Location of back-up culture (required):</p> <p>Sample Collected Date (required):</p>
<p align="center"><b>Accepted Specimens</b></p> <p>Specimen requirements vary based on test requested; please see our website for more details.</p> <p>-Blood: 3-6ml EDTA (must arrive within 60-72 hours of collection for RNA-based tests)</p> <p>-DNA: extracted from lymphocyte cells, a minimum of 25ul at 3µg, O.D. value at 260:280nm ≥1.6 (must be extracted in a CLIA or equivalent certified lab)</p> <p>-Sperm (for KT2-NG only): Fresh, sterile semen collection using a local sperm bank/cryobank facility</p>	<p align="center"><b>Specimen Information:</b></p> <p><input type="checkbox"/> Peripheral Blood (EDTA); # Tubes:</p> <p><input type="checkbox"/> Extracted DNA; Source:</p> <p><input type="checkbox"/> Other, please describe: _____</p> <p><u>Please note: failure to provide a date of collection can delay release of results</u></p> <p>Sample Collected Date (required):</p>

**UAB MEDICAL GENOMICS LABORATORY**

720 Twentieth Street South, Suite 330 Phone: (205) 934-5562  
 Birmingham, Alabama 35294-0005 Fax: (205) 996-2929  
[www.uab.edu/medicine/genetics/medical-genomics-laboratory](http://www.uab.edu/medicine/genetics/medical-genomics-laboratory)

UAB MGL  
 Accession

Name: (First) (MI) (Last)	DOB: (MM/DD/YY)
---------------------------	-----------------

**Billing**

Please hold sample until further notice from the ordering facility.

**Important Information**

By completing this form, you agree that you have discussed the MGL's billing policies with your patient.

Credit card information **MUST** be provided with sample submission for self-pay clients. Please note: If you are paying via self-payment or requesting a benefits investigation, there will be a 3-5 working day delay on the initiation of your test. Requests for cancellation, test change, or billing method change of ongoing testing must be submitted to the laboratory within three working days of specimen arrival. Individuals or institutions submitting requests after the three working day window may still incur charges for the cost of testing.

Full information on the billing policies is available at [www.uab.edu/medicine/genetics/medical-genomics-laboratory](http://www.uab.edu/medicine/genetics/medical-genomics-laboratory)

 **Institutional Bill**

Please check box if billing institution should receive report directly

Institution:	PO# (if applicable):
--------------	----------------------

Address:

City:	State:	Zip:
-------	--------	------

Contact (Name and Title):	Preferred method of contact: <input type="checkbox"/> Email <input type="checkbox"/> Phone
---------------------------	---

Email:	Phone:	Fax:
--------	--------	------

 **Self-Payment Enclosed \*PLEASE ENSURE ALL INFORMATION IS LEGIBLE\***

Visa  MasterCard  Discover  American Express

Name as it appears on card:

Card Number:	Expiration: (MM/YY)	3-digit Security Code:
--------------	---------------------	------------------------

Cardholder's Signature:	Preferred method of contact: <input type="checkbox"/> Email <input type="checkbox"/> Phone
-------------------------	---

Email:	Phone:
--------	--------

 **Bill Third Party Insurance Company**

Please include a copy of the pre-approval statement or provide the approval number if payment has been pre-authorized in advance of shipment.

Insurance Carrier: \_\_\_\_\_  
 Insurance pre-verification/authorization previously performed?  Yes  No If yes, approval number is required: \_\_\_\_\_

Please check box if you would not like insurance pre-verification/authorization to be performed by the MGL.

Please send a legible copy of the patient's insurance card, front and back.

ICD-10 Codes (required):

**Important Considerations for Insurance Billing**

For a list of contracted insurance companies, please visit our website or call our billing coordinator at 205-934-5523. As insurance prices are not listed, please call the billing coordinator to request a quote, if needed.

The MGL will contact the insurance provider to inquire regarding the CPT code coverage for all samples submitted for insurance payment. The healthcare provider will be contacted with the copay/deductible and also in cases where the insurance provider denies coverage of the requested codes or supporting documents are required from the provider to confirm coverage. The ordering provider/clinician's office is responsible for obtaining prior authorization, if it is required. This service is not offered for prenatal samples.

Please note: An insurance verification is not a guarantee of payment. Out of State Medicaid is not accepted under any circumstances. All RUSH fees must be paid up front. By completing this form, you agree that you have discussed the MGL's billing policies with your patient.

## Informed Consent for Genetic Testing

\*\*This form does not need to be returned to the Medical Genomics Laboratory if Informed Consent portion of the Test Request form has been signed.\*\*

I hereby consent for:

Name:	DOB:	Gender:
-------	------	---------

To participate in genetic testing for the following RNA/DNA-based cascade of tests ordered by my physician at the University of Alabama at Birmingham (UAB) Medical Genomics Laboratory (MGL):

Genetic Tests:
----------------

I understand that:

1. Any biological samples submitted for genetic testing (e.g., blood, cheek cells, saliva, amniotic fluid, chorionic villi, tumor, and/or tissue) will be removed from me and/or my minor child(ren) using standard techniques which carry their associated risks.
  
2. Any samples obtained will be used for the purpose of attempting to determine if I and/or members of my family carry genetic changes in the disease genes ordered by my physician.
  
3. The genetic tests performed at the MGL are the most sensitive developed and are highly specific. However, sensitivity and specificity are test-dependent. Additional testing details and the specific detection rates of each test can be found at [www.genetics.uab.edu/medgenomics](http://www.genetics.uab.edu/medgenomics).
  
4. The following are possible outcomes for the specific tests listed above:

<b>Positive</b>	<b>Unknown Significance</b>	<b>Negative</b>
This is an indication that I may be predisposed to or have the specific disease, or condition tested. Further testing may be needed to confirm the diagnosis.	There may be a possibility that the laboratory findings will be ambiguous or of unknown significance. This may require additional testing from me or my family members. In rare circumstances, findings may be suggestive of a condition different than the diagnosis that was originally made.	There is a chance that I will still have this genetic condition even though the genetic test results are negative. Due to limitations in technology and incomplete knowledge of genes, some changes in RNA/DNA or protein products that cause disease may not be detected by this test.

5. In other cases, the RNA/DNA test is unable to identify an abnormality although the abnormality may still exist. This event may be due to incomplete knowledge of the gene structure or an inability of current technology to identify certain types of mutations in the gene. When clinically necessary, the MGL may use a method called linkage analysis. This method is not a direct test, but will report the probability that you and/or family members have an inherited disease or disorder. In some families, the markers used in linkage analysis may be uninformative. If so, linkage testing cannot provide results for the family members in question.
  
6. The RNA/DNA analysis performed by the MGL is specific for the genetic test listed above and in no way guarantees my health or the health of my living or unborn children. The MGL cannot be responsible for an erroneous clinic diagnosis made elsewhere.
  
7. The tests performed at the MGL are expanded and improved continuously. The tests offered are not considered research but are considered the best and newest laboratory service that can be offered. Genetic testing is complex and utilizes specialized materials so there is always some very small possibility that the test will not work properly or that an error will occur. There is a low error rate (perhaps 1 in 1000 samples) even in the best laboratories. Additionally, in very rare instances, this test may reveal an important genetic change that is not directly related to the clinical reason for ordering this test. This would be considered an incidental finding. The MGL reserves the right to report these incidental findings if they are clinically relevant to the patients and/or their families. In such instances, these results will be discussed with my healthcare provider and additional testing may be recommended. My signature acknowledges my voluntary participation in this test, but in no way releases the laboratory and staff from the MGL from their professional or ethical responsibility to me.
  
8. The MGL does not return DNA samples to individuals or physicians. While the MGL is not a specimen banking facility, in some cases it may be possible for the laboratory to reanalyze my remaining DNA upon request. The request for additional studies must be ordered by my referring physician/counselor and there will be an additional fee.





MEDICAL GENOMICS LABORATORY: NF2 & SCHWANNOMATOSIS PHENOTYPIC CHECKLIST FORM



Patient ID: \_\_\_\_\_

Referring Physician: \_\_\_\_\_ Date of Exam \_\_\_/\_\_\_/\_\_\_

**DEMOGRAPHIC INFORMATION**

Gender:  Male  Female Date of Birth: \_\_\_/\_\_\_/\_\_\_

Ethnicity: Mother:  White  Black  Native American  Hispanic  Asian  Other:  
Father:  White  Black  Native American  Hispanic  Asian  Other:

**DIAGNOSIS**

Does the patient have a clinical diagnosis of NF2?  Yes  No If Yes, age at diagnosis: \_\_\_\_\_

Family history:  Sporadic  Familial  Unknown

**SIGNS AND SYMPTOMS**

Ear:  Absent  Unknown  Present:  Bilateral Deafness  Unilateral Deafness Age of symptoms: \_\_\_\_\_  
 Balance Dysfunction  Tinnitus  
 Audiometric Abnormality, please describe: \_\_\_\_\_  
 Other, please describe: \_\_\_\_\_

Eyes  Absent  Unknown  Present:  Blindness Age of Symptoms: \_\_\_\_\_  
 Lenticular opacities  
 Lisch nodules  
 Left  Right  
 Bilateral  Unknown

**Schwannomas**

Vestibular schwannomas Age of Symptoms: \_\_\_\_\_  
 Bilateral  
 Unilateral  
 No evidence of vestibular nerve tumor by MRI (Age: \_\_\_ yrs)  
 Lack of symptoms of vestibular nerve tumor, but no MRI done (Age: \_\_\_ yrs)  
 Unknown

Spinal schwannomas Age of Symptoms: \_\_\_\_\_  
 Present  
 No evidence by MRI (Age: \_\_\_ yrs)  
 Lack of symptoms, but no MRI done (Age: \_\_\_ yrs)  
 Unknown  
Provide location of spinal tumors: C \_\_\_ to C \_\_\_, T \_\_\_ to T \_\_\_, L \_\_\_ to L \_\_\_

Other schwannomas Age of Symptoms: \_\_\_\_\_  
 Absent  Unknown  
 Head  Neck  Trunk  L Arm  L Hand  L Leg  L Foot  
 Abdomen  Pelvis  Genital area  R Arm  R Hand  R Leg  R Foot

Present only in an anatomically limited distribution(single limb or segment of the spine):  yes or  no

Result *SMARCB1*-staining on the tumor specimen:  Abnormal (no *SMARCB1*-staining)  
 Normal (*SMARCB1* staining)  
 Not performed



**MEDICAL GENOMICS LABORATORY: NF2 & SCHWANNOMATOSIS PHENOTYPIC CHECKLIST FORM**



**Meningiomas**

- Present, Location: \_\_\_\_\_
- No evidence by MRI (Age: \_\_\_yrs)
- Unknown

Age of Symptoms: \_\_\_\_\_

**Other spinal tumors**

- Absent by MRI
  - Present, asymptomatic
  - Present, symptomatic
  - Unknown
- Pathology Known:  Yes, please specify: \_\_\_\_\_  No

Age of Symptoms: \_\_\_\_\_

Provide location of spinal tumors: C \_\_\_ to C \_\_\_, T \_\_\_ to T \_\_\_, L \_\_\_ to L \_\_\_

**Cranial nerve involvement**

- Present, Location: \_\_\_\_\_
- No evidence by MRI (Age: \_\_\_yrs)
- Unknown

Age of Symptoms: \_\_\_\_\_

**Skin**

- CAL spots**
- 1
  - 2-3
  - 4-5
  - >5-10
  - >10

Age of Symptoms: \_\_\_\_\_

- Neurofibromas**
- 1-5
  - ≥6-99
  - ≥100

Age of Symptoms: \_\_\_\_\_

- Skin fold freckling**
- |            |                          |                          |
|------------|--------------------------|--------------------------|
|            | <b>Left</b>              | <b>Right</b>             |
| Groin      | <input type="checkbox"/> | <input type="checkbox"/> |
| Axilla     | <input type="checkbox"/> | <input type="checkbox"/> |
| Submammary | <input type="checkbox"/> | <input type="checkbox"/> |

Age of Symptoms: \_\_\_\_\_

Please indicate location of spinal tumors (if present)

Additional comments/remarks:

